

CONFIDENTIAL





FIGURE #1

FIGURE #2

A line drawing illustrating the correct method for securing a life preserver. The life preserver is shown on the left, with a strap and buckle on its back. The strap is wrapped around the back of the life preserver and then around the person's back, passing under the arm and over the shoulder to be buckled. The person is shown from the waist up, wearing a life preserver. The diagram is labeled with 'A' and 'B' to indicate the correct and incorrect ways to tie the life preserver.

FIGURE #3



PAC-A - CHAIR PARTS

- 1 Left Frame Upright
- 2 Right Frame Upright
- 2a Left Seat Support
- 3 Right Seat Support
- 3a Left Chair Leg
- 4 Right Chair Leg
- 4a Left Locking Brace
- 5 Right Locking Brace
- 6 Chair Leg Brace
- 7 Top Frame Brace
- 7a Top Strap Brace
- 8 Bottom Strap Brace
- 9 Bottom Frame Brace
- 10 Inside Seat Slats 3 pc.
- 11 Outside Seat Slats 3 pc.
- 12 Seat Brace 2 pc.
- 13 Bottom Frame Brace Catch (Locking Brace Catch)
- 14 1 1/4" x 3/16 Rivet
- 15 Spacer washer
- 16 Rivet Washer
- 17 Turn Buckle
- 18 Slide Catch Rivet
- 19 Slide Catch Screws # 6 x 3/4
- 20 Turn Buckle Screws # 6 x 3/4
- 21 Brass #8 x 1
- 22 Seat Slats Screw # 8 x 1
- 23 Seat Brace Screw # 6 x 3/4
- 24 D Ring
- 25 Wedge Shape Seat Cushion / Back Support
- 26 Strap
- 27 Shoulder Strap
- 28 Back Bag